



Shenzhen Xinghuo LED Tech Limited

Address: Bldg3, Landwind Industrial Zone, Tangtou Avenue, Shiyan, Bao'an, Shenzhen, PRC
www.szshoplight.com info@ledxh.cn

SPECIFICATION

Product Name: M Series LED Track Light

Model Number: XH-TL-15W/20W/25W/30W/35W/40W/45W-M



CE RoHS ENEC

1. Features

- Citizen COB LED, strong color consistency
- Luminaire 120 lm/Watt @ CRI80
- CRI>97, 90 available for 2700K, 3000K, 4000K
- Brushed aluminum body with good heat dissipation
- Low thermal resistance, low UGR<19
- Flicker-free Isolated constant current driver
- Triac, DALI, 0/1-10V dimming with external driver
- Very even light distribution, high uniformity and no glare
- Instant switch-on regardless of temperature or humidity
- Suitable for various stores, art gallery, showcase, etc.



2. Dimension (mm)





Shenzhen Xinghuo LED Tech Limited

Address: Bldg3, Landwind Industrial Zone, Tangtou Avenue, Shiyan, Bao'an, Shenzhen, PRC

www.szshoplight.com info@ledxh.cn

3. Technical Data

Model No.	XH-TL-15W-M	XH-TL-20W-M	XH-TL-25W-M	XH-TL-30W-M
Wattage	15W	20W	25W	30W
Current	350mA	500mA	600mA	750mA
Input Voltage	AC200-240V / AC100-240V, 50/60Hz			
Output Voltage	DC 36V			
LED Chip	Version 6 CITIZEN COB / CREE COB			
CRI	80+, 90+, 97+			
Color temp.	2700K - 3000K - 4000K - 5000K			
Lamp Efficiency	90-130 lm/W			
Beam angle	15° - 24° - 36° - 60° (reflector)			
UGR	< 22 - 19			
Macadam	< 3 steps			
SDCM	< 5			
THD	< 15%			
PF	> 0.95			
LED driver	Tridonic - Philips - HEP- Xinghuo			
Dimming	DALI - TRIAC - 0/1-10V - ZigBee - RF - DMX			
Dimensions	Φ90*L165*H187			
Housing material	1070 Die-cast Aluminum Alloy			
Housing color	Black - White - Silver			
Track adapter	Global - PowerGear			
Adapter phase	1 phase(2 wires, 3 wires) - 3 phase (4 wires)			
IP rate	IP20			
Working temp.	-20℃ - +45℃			
Lifespan	50,000 hours			
Warranty	3-5 years			
Inner box (mm)	98*98*290			
Outer carton (mm)	400*400*300			
Qty (pcs) /carton	16			
Gross Weight (Kg)	16.8			



Shenzhen Xinghuo LED Tech Limited

Address: Bldg3, Landwind Industrial Zone, Tangtou Avenue, Shiyan, Bao'an, Shenzhen, PRC

www.szshoplight.com info@ledxh.cn

4. Accessory

Surface mounted holder



Suspension holder



Honeycomb



Track system




2 wires Track
1 phase

3 wires track
1 phase

4 wires track
3 phase

Track connector






Shenzhen Xinghuo LED Tech Limited


Address: Bldg3, Landwind Industrial Zone, Tangtou Avenue, Shiyan, Bao'an, Shenzhen, PRC

www.szshoplight.com info@ledxh.cn

8. Installation Instructions



9. Remove Instructions



10. Attention

Before installation

Before remove

